EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	63622	((resource or circuit or path or connection or link) near2 (management or managing or managed))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 10:43
\$2	3321	(S1 with (logical or physical))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 10:45
\$3	149	(S2 with (limited or shared))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 10:45
S4	64	(S3 and (@ad<= "20030303" or @rlad<= "20030303" or @prad<= "20020303"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 10:47
S5	12	(S2 same (concentrat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 11:36
S6	72	(S2 same (converg\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 11:38
S7	39	(S6 and (@ad<= "20030303" or @rlad<= "20030303" or @prad<= "20020303"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 11:39
S8	3485	(((connection or connect) near4 (request or initiation)) with (identifier or id))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/08/14 12:03

S9	11	(S1 same S2 same S8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 12:04
S10	6553	((NAT or (network address translator) or firewall) with (port or socket or path or conenction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/15 18:25
S11	651	(S10 with (shar\$3 or assign\$4 or distribut\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/15 18:26
S12	403	(S10 with (holding or held or maintain\$3 or active or inactive or reserv\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/15 18:27
S13	42	(S11 same S12)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 18:27
S14	20	(S13 and (@ad<="20030303" or @rlad<="20030303" or @prad<="20020303"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 18:28
S15	9947	((immediat\$2 or instant\$2 or (right adj away)) near2 (connecting or connected or connect or connection or allocat \$3 or allot\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:05
S16	517	(S15 with (path or link or socket or port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:06
S17	364	(S15 near8 (path or link or socket or port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:06

S18	248	(S17 and (@ad<="20030303" or @rlad<="20030303" or @prad<="20020303"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR		2008/09/10 16:12
S19	5	(S16 with (logical or physical))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:29
S20	3	(S16 with virtual)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:31
\$21	1	(S15 with (reserverd or parked))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:35
S22	64058	((immediat\$2 or instant\$2 or (right adj away)) with (connecting or connected or connect or connection or allocat\$3 or allot \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	500N	2008/09/10 16:35
S23	4788	(S22 with (path or link or socket or port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:35
S24	73	(S23 with (logical or physical or virtual))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:36
S25	44	(S24 and (@ad<="20030303" or @rlad<="20030303" or @prad<="20020303"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/09/10 16:36
S26	7068	(370/352.cols.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/09/10 16:48

S27	462	(\$26 and (((logical or virtual) with (link or path or connection or socket or port)) same (physical with (link or path or connection or socket or port))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:53
S28	368	(S27 and (@ad<="20030303" or @rlad<="20030303" or @prad<="20020303"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:53
S29	448	(370/353.cds.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 17:21
\$30	389	(S29 and (@ad<="20030303" or @rlad<="20030303" or @prad<="20020303"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 17:21
\$31	379	(S30 not S28)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 17:22
S32	386	(370/354.cols.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 09:11
S33	331	(S32 and (@ad<="20030303" or @rlad<="20030303" or @prad<="20020303"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 09:11
S34	410	(370/355.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 09:36
S35	354	(S34 and (@ad<="20030303" or @rlad<="20030303" or @prad<="20020303"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 09:37

S36	296	(S35 not S33)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 10:25
\$37	1137	(370/356.cds.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; [BM_TDB	OR	ON	2008/09/11 10:50
S38	798	(S37 and (@ad<="20030303" or @rlad<="20030303" or @prad<="20020303"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 10:51
S39	695	(S38 not (S33 or S35))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 10:51
S40	67	(S39 and (((logical or virtual) with (link or path or connection or socket or port)) same (physical with (link or path or connection or socket or port))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 10:51
S41	2090	(370/400.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 11:11
S42	1462	(S41 and (@ad<="20030303" or @rlad<="20030303" or @prad<="20020303"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 11:12
S43	210	(S42 and (((logical or virtual) with (link or path or connection or socket or port)) same (physical with (link or path or connection or socket or port))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 11:12
S44	202	(S43 not (S33 or S35 or S38))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 11:12

S45	7461	(370/401.cds.)	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 11:32
S46	4857	(S45 and (@ad<="20030303" or @rlad<="20030303" or @prad<="20020303"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 11:33
\$47	500	(S46 and (((logical or virtual) with (link or path or connection or socket or port)) same (physical with (link or path or connection or socket or port))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 11:33
S48	92	(S47 and ((holding or held or maintain\$3 or active or inactive or reserv\$5 or dormant or suspended or wait) near2 (state or status)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/11 11:37
S49	84	(S48 not (S33 or S35 or S38 or S43))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 11:38
S50	4794239	(Dialup or (dial up) or dedicated or fixed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/11 12:05
S51	8780209	(link or path or connection or socket or port or channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 12:06
S52	4229133	(teardown or seup or release\$3 or retain\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 12:07
S53	624358	(S50 with S51)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/09/11 12:07

S54	25430	(S52 with S53)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 12:08
S55	80	(S54 with ((holding or held or maintain\$3 or active or inactive or reserv\$5 or dormant or suspended or wait) near2 (state or status)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/11 12:08

^{9/15/2008 10:11:12} AM

C:\ Documents and Settings\ hpatel1\ My Documents\ EAST\ Workspaces

^{\10786364}_20080814_1stAmend.wsp